

CREATING A CLEANER, SAFER, HEALTHIER WORLD.



6200

COMPACT RIDER SWEEPER

- Exceptional performance with efficient, one-pass sweeping and dust containment
- Superb maneuverability from compact size and easy operation
- Dramatically reduced cleaning costs with highly reliable Tennant parts and engineering

EXPERTLY-DESIGNED 6200 SWEEPER OFFERS EFFORTLESS OPERATION AND INCREASED PRODUCTIVITY



Engineered and built with Tennant's high quality parts, the 6200 delivers virtually continuous operation. Increase productivity with efficient one-pass cleaning, and multi-level dump hopper.

EXCELLENT SWEEPING AND DUST CONTROL

AutoAdjust™ design matches brush height to brush wear for sweeping of light dust and debris in one pass. The 6200's 2-stage dust control helps remove air-borne dust.


WORRY-FREE DURABILITY

Solid steel frame, hydraulic oil system and no-tool brush changes keep the reliable 6200 up and running.

EASY OPERATION FOR INCREASED PRODUCTIVITY

Excellent sightlines, easy-to-use controls, and the multi-level dump hopper makes for easy operation. The hopper can be emptied directly into containers up to 1.37 m.

INSIDE THE 6200



HIGH DUMP HOPPER FOR EASE OF USE AND OPERATOR SAFETY

The standard multi-level high dump hopper eliminates manual lifting, helping keep operator safe.

The large capacity hopper means more sweeping between dumpings.

MUST-HAVE OPTIONS

Extend cleaning reach

Access hard-to-reach areas with the optional instantly activated vacuum wand.

Enhance capability

QuickMop® effectively dry mops smooth concrete or finished surfaces with the mop's wide, 1.67 m, path.

Increase productivity

Dual side brushes expand the machine's sweeping reach to clean more floor space in less time.

A **Protect fixtures and equipment**, as well as the sweeper, with the rear bumper and corner rollers.

B **Maintain maximum cleaning power** with the patented AutoAdjust™ brush cavity that automatically adjusts as bristles shorten.

C **Thermo-Sentry™** monitors the hopper temperature and, in dangerously high temperatures, initiates vacuum shut-down.

D **Effectively load different types of debris** with adjustable four-sided, front-loading hopper and a sweeping system that can adjust to the type of debris.

E **Conveniently empty hopper** directly into containers up to 1.37 m.

F **VCS® filter-shaking system** effectively contains dust and keeps filter pleats free of clogs.

- Reduce rework, labor and safety costs by using only TennantTrue parts and service.
- Ensure optimal cleaning performance by selecting a TennantTrue Service program provided by a network of over 400 factory-trained Tennant service representatives.
- Improve uptime by leveraging TennantTrue parts and service.
- Simplify budgeting by bundling TennantTrue service plans, including parts, into the purchase or financing of your machine.
- Manage your cleaning program with real-time machine data from Tennant's IRIS™ technology.

Lease. Pre-Owned. Rent. Tennant has flexible options that get you the machines you need, however you need them.

6200 COMPACT RIDER SWEEPER

SWEEPING SYSTEM

Cleaning path	
One side brush	1,070 mm
Two side brushes	1,400 mm
Main brush	
Main brush length (tubular)	710 mm
Main brush drive	Belt
Main brush change	No-tool
Side brush diameter	520 mm
Debris hopper	
Volume capacity	125 L
Weight capacity	136 kg
Dump height (variable to)	1.37 m

DUST CONTROL SYSTEM

Filter system (dual stage, to 3 microns)	
Stage 1	Perma-filter™
Stage 2	4.6 m ² panel filter
Dust filtration (to)	3 microns
Vacuum fan speed	4,300 rpm

PROPELLING SYSTEM

Battery package	235 Ah
Propelling motor	0.56 kW
Battery Model: Forward (variable to)	9 km/h
Reverse (variable to)	4.8 km/h
Gradeability	
Full hopper	6.0 deg/11%
Empty hopper	10.0 deg/18%

MACHINE SPECIFICATIONS

Length	1,960 mm
Width	
With one side brush	1,230 mm
With two side brushes	1,420 mm
Without side brush	1,050 mm
Height	1,440 mm
Weight	
With battery	923 kg
Without battery	746 kg

WARRANTY

See your local representative for warranty information.

Specifications subject to change without notice.

SEEING IS BELIEVING

For a demonstration or additional information,
call +1.800.553.8033 or email info@tennantco.com

Tennant Australia
Unit 11, 4 Southridge Street
Eastern Creek NSW 2766

T: 1800 226 843 (FREE CALL)
T: +61 2 9839 9700

www.tennantco.com.au
contactus@tennantco.com

Tennant New Zealand
Unit 5, 103 Cryers Road
East Tamaki
Auckland 2013

T: +64 9 253 9013
F: +64 9 253 9015

www.tennantco.co.nz
contactus@tennantco.com